

## Ocean Container Specifications

20 ft. Dry Container



General purpose 20' x 8' x 8'6"		Steel	
		Millimeters	Feet
Internal Dimensions	Length	5,898	19'4 13/64"
	Width	2,352	7'8 19/32"
	Height	2,393	7'10 7/32"
Door Opening	Width	2,340	7'8 1/8"
	Height	2,280	7'5 49/64"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,200
	Tare	3,650	8,440
	Max Payload	26,830	58,760
		Cube Meters	Cube Feet
Internal Capacity		33.2	1170

40 ft. Dry Container



General purpose 40' x 8' x 8'6"		Steel	
		Millimeters	Feet
Internal Dimensions	Length	12,032	39'5 45/64"

	Width	2,352	7'8 19/32"
	Height	2,393	7'10 7/32"
<b>Door Opening</b>	Width	2,340	7'8 1/8"
	Height	2,280	7'5 49/64"
		Kilograms	Pounds
<b>Weight</b>	Max Gross	30,480	67,200
	Tare	3,830	8,050
	Max Payload	26,650	59,150
		Cube Meters	Cube Feet
Internal Capacity		67.7	2,390

### 40 ft. High Cube Dry Container



High cube 40' x 8' x 9'6"		Steel	
		Millimeters	Feet
<b>Internal Dimensions</b>	Length	12,032	39'5 45/64"
	Width	2,352	7'8 19/32 "
	Height	2,698	8'10 7/32"
<b>Door Opening</b>	Width	2,340	7'8 1/8"
	Height	2,585	8'5 49/64"
		Kilograms	Pounds
<b>Weight</b>	Max Gross	30,480	67,200
	Tare	3,830	8,440
	Max Payload	26,500	58,760
		Cube Meters	Cube Feet
Internal Capacity		76.4	2700

High cube 45' x 8' x 9'6"		Steel	
		Millimeters	Feet
<b>Internal Dimensions</b>	Length	13,556	44'5 45/64"
	Width	2,352	7'8 19/32"

<b>Door Opening</b>	Height	2,698	8'10 7/32"
	Width	2,340	7'8 1/8"
	Height	2,585	8'5 49/64"
		Kilograms	Pounds
<b>Weight</b>	Max Gross	30,480	67,200
	Tare	4,700	10,360
	Max Payload	25,780	56,840

40 ft. High Cube Reefer Container



Refrigerated 40' x 8' x 9'6"		Steel		
		Millimeters	Feet	
<b>Internal Dimensions</b>	Length	11,590	38'19/64"	
	Width	2,294	7'6 5/16"	
	Height	Nominal	2,555	8'4 19/32"
		Usable	2,445	8'21/32"
<b>Door Opening</b>	Width	2,290	7'6 5/32"	
	Height	2,569	8'5 9/64"	
		Kilograms	Pounds	
<b>Weight</b>	Max Gross	30,480	67,200	
	Tare	4,880	10,760	
	Max Payload	25,600	56,440	
		Cube Meters	Cube Feet	
Internal Capacity	Nominal	67.9	2,399	
	Usable	65.3	2,307	

40 ft. Reefer Container



Refrigerated 40' x 8' x 8'6"		Steel		
		Millimeters	Feet	
Internal Dimensions	Length	11,587	38'0.1"	
		2,259	7'4.9"	
	Height	Nominal	2,219	7'3.4"
		Usable	2,119	7'3.4"
Door Opening	Width	2,283	7'5.9"	
	Height	2,177	Width 7'1.7"	
		Kilograms	Pounds	
Weight	Max Gross	32,000	70,500	
	Tare	4,350	9,590	
	Max Payload	27,650	60,960	
		Cube Meters	Cube Feet	
Weight	Nominal	58.1	2,051	
	Usable	55.5	1,959	

20 ft. Reefer Container



Refrigerated 20'x 8' x 8'6"		Steel	
		Millimeters	Feet

<b>Internal Dimensions</b>	Length	5,455	17'10 3/4"	
	Width	2,292	7'6 1/4"	
	Height	Nominal	2,274	7'5 1/2"
		Usable	2,174	7'1 14/25"
<b>Door Opening</b>	Width	2,232	7'6 1/4"	
	Height	2,259	7'4 15/16"	
		Kilograms	Pounds	
<b>Weight</b>	Max Gross	30,480	67,200	
	Tare	3,000	6,610	
	Max Payload	27,480	60,590	
		Cube Meters	Cube Feet	
Internal Capacity	Nominal	28.4	1,000	
	Usable	27.2	958	

#### 40 ft. Open Top Container



<b>Open top 40' x 8' x 8'6"</b>		<b>Steel</b>	
		<b>Millimeters</b>	<b>Feet</b>
<b>Internal Dimensions</b>	Length	12,036	39'5 55/64"
	Width	2,352	7'8 19/32"
	Height	2,248	7'8 7/16"
<b>Door Opening</b>	Width	2,340	7'8 1/8"
	Height	2,280	7'5 49/64"
		Kilograms	Pounds
<b>Weight</b>	Max Gross	30,480	67,200
	Max Payload	26,680	58,820
		Cube Meters	Cube Feet
Internal Capacity		65.9	2.330

### 20 ft. Open Top Container



Open top 20' x 8' x 8'6"		Steel	
		Millimeters	Feet
Internal Dimensions	Length	5,900	19'4 9/32"
	Width	2,352	7'8 19/32"
	Height	2,350	7'8 33/64"
Door Opening	Width	2,340	7'8 1/8"
	Height	2,280	7'5 49/64"
Weight		Kilograms	Pounds
	Max Gross	30,480	67,200
	Tare	2,120	4,670
	Max Payload	28,360	62,530
		Cube Meters	Cube Feet
Internal Capacity		32.6	1,152

### 40 ft. Flat Rack Container



Flat racks 40' x 8' x 8'6"		Steel		
		Millimeters	Feet	
Internal Dimensions	Length	12,180	39'11 17/32"	
	Width	2,230	7'3 51/64"	
	Height	Unfolded	1,955	6'4 31/32"
		Folded	647	2'1 15/32"

		Kilograms	Pounds
<b>Weight</b>	Max Gross	45,000	99,210
	Tare	5,000	11,020
	Max Payload	40,000	88,190
		Cube Meters	Cube Feet
<b>Internal Capacity</b>		53.1	1876.6

### 20 ft. Flat Rack Container



<b>Flat racks 20' x 8' x 8'6"</b>		<b>Steel</b>		
		<b>Millimeters</b>	<b>Feet</b>	
<b>Internal Dimensions</b>	Length	5,618	18'5 3/16"	
	Width	2,230	7'3 13/16"	
	Height	Unfolded	2,233	7'3 29/32"
		Folded	370	1'2 9/16"
		Kilograms	Pounds	
<b>Weight</b>	Max Gross	30,480	67,200	
	Tare	2,750	6,060	
	Max Payload	27,730	61,140	
		Cube Meters	Cube Feet	
<b>Internal Capacity</b>		27.9	986	

<b>Garmentainers 40' x 8' x 8'6"</b>		<b>Steel</b>	
		<b>Millimeters</b>	<b>Feet</b>
<b>Internal Dimensions</b>	Length	12,180	39'11 17/32"
	Width	2,230	7'3 51/64"
	Height	1,955	6'4 31/32"
<b>Door Opening</b>	Width	2,340	7'8."
	Height	2,280	7'5.8"
		Kilograms	Pounds

<b>Weight</b>	Max Gross	30.480	67,200
	Tare	3,885	8,565
	Max Payload	26,595	58,635
		Cube Meters	Cube Feet
Internal Capacity		67.7	2,390

<b>Garmentainers 20' x 8' x 8'6"</b>		<b>Steel</b>	
		<b>Millimeters</b>	<b>Feet</b>
<b>Internal Dimensions</b>	Length	5,900	19'4.2"
	Width	2,352	7'8.5"
	Height	2,353	7'10.1"
<b>Door Opening</b>	Width	2,340	7'8"
	Height	2,280	7'5.8"
		Kilograms	Pounds
<b>Weight</b>	Max Gross	24,000	52,910
	Tare	2,240	4,490
	Max Payload	21,760	47,970
		Cube Meters	Cube Feet
Internal Capacity		33.2	1,172

<b>Total Loss Compensation Standard Shipping Equipment</b>											
								<b>Currency:</b>	<b>USD</b>		
<b>Equip - ment Age</b>	20GP	40GP	40HC	20HC	45HC	20FR	40FR	20OT	40OT	20RF	40RH
0	3200	4300	5000	4600	6600	5500	7500	4000	5000	25000	33000
1	3040	4085	4750	4370	6270	5225	7125	3800	4750	23750	31350
2	2880	3870	4500	4140	5940	4950	6750	3600	4500	22500	29700
3	2720	3655	4250	3910	5610	4675	6375	3400	4250	21250	28050
4	2560	3440	4000	3680	5280	4400	6000	3200	4000	20000	26400
5	2400	3225	3750	3450	4950	4125	5625	3000	3750	18750	24750
6	2240	3010	3500	3220	4620	3850	5250	2800	3500	17500	23100
7	2080	2795	3250	2990	4290	3575	4875	2600	3250	16250	21450
8	1920	2580	3000	2760	3960	3300	4500	2400	3000	15000	19800
9	1760	2365	2750	2530	3630	3025	4125	2200	2750	13750	18150
10	1600	2150	2500	2300	3300	2750	3750	2000	2500	12500	16500
11	1440	1935	2250	2070	2970	2475	3375	1800	2250	12500	16500
12	1280	1720	2000	1840	2640	2200	3000	1600	2000	12500	16500

<b>Lowest Replace -ment Value</b>	1280	1720	2000	1840	2640	2200	3000	1600	2000	12500	16500	
---	------	------	------	------	------	------	------	------	------	-------	-------	--